



# SAFETY DATA SHEET

9200 Rust-O-Thane®

## 1. Identification of the preparation and of the company

**Product name and/or code** :  
**Product use** : Andrews Coatings Ltd. Carver Building, Littles Lane  
**Manufacturer** : Wolverhampton, West Midlands, WV1 1JY  
 Telephone Number: 01902 429190, Fax Number: 01902 426574  
**Emergency phone:** Email: sales@andrewscoatings.co.uk

## 2. Composition/information on ingredients

There are no ingredients or additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

## 3. Hazards identification

The preparation is not classified as dangerous according to Directive 1999/45/EC and its amendments.

**Classification** : Not classified.  
**Additional warning phrases** : Contains Pentamethyl-piperidinyl ester derivative. May produce an allergic reaction.

## 4. First aid measures

### First aid measures

**General** : In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.  
**Inhalation** : Remove to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Give nothing by mouth. If unconscious, place in recovery position and seek medical advice.  
**Skin contact** : Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognized skin cleanser. Do not use solvents or thinners.  
**Eye contact** : Check for and remove any contact lenses. Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open.  
**Ingestion** : If swallowed, seek medical advice immediately and show this container or label. Keep person warm and at rest. Do not induce vomiting.

## 5. Fire-fighting measures

**Extinguishing media** : Recommended: alcohol-resistant foam, CO<sub>2</sub>, powders, water spray.  
 Not to be used : water jet.  
**Recommendations** : Fire will produce dense black smoke. Exposure to decomposition products may cause a health hazard. Appropriate breathing apparatus may be required. Cool closed containers exposed to fire with water. Do not release runoff from fire to sewers or waterways.  
**Hazardous combustion products** : Decomposition products may include the following materials:  
 carbon oxides  
 metal oxide/oxides

## 6. Accidental release measures

**Personal precautions** : Due to the organic solvents content of the preparation:  
 Exclude sources of ignition and ventilate the area. Avoid breathing vapor or mist. Refer to protective measures listed in sections 7 and 8.  
**Spill** : Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Do not allow to enter drains or watercourses. Preferably clean with a detergent. Avoid using solvents. If the product contaminates lakes, rivers, or sewers, inform the appropriate authorities in accordance with local regulations.

**Note:** see section 8 for personal protective equipment and section 13 for waste disposal.

## 7. Handling and storage

- Handling** : Keep container tightly closed. Keep away from heat, sparks and flame.
- Avoid contact with skin and eyes. Avoid the inhalation of dust, particulates, spray or mist arising from the application of this preparation. Avoid inhalation of dust from sanding.
- Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking.
- Put on appropriate personal protective equipment (see section 8).
- Comply with the health and safety at work laws.
- Storage** : Store in accordance with local regulations. Observe label precautions. Store in a cool, well-ventilated area away from incompatible materials and ignition sources. Keep away from heat and direct sunlight.
- Due to the organic solvents content of the preparation:  
 Keep away from: oxidizing agents, strong alkalis, strong acids.  
 No smoking. Prevent unauthorized access. Containers that have been opened must be carefully resealed and kept upright to prevent leakage.  
 Do not empty into drains.

## 8. Exposure controls/personal protection

- Engineering measures** : Provide adequate ventilation. Where reasonably practicable, this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapors below the OEL, suitable respiratory protection must be worn.
- Occupational exposure limits** : Not available.
- Exposure controls**
- Occupational exposure controls** : No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
- Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
- Respiratory protection** : When spraying wear suitable respiratory equipment :  
 -organic vapor (Type A) and particulate filter (EN 140)
- Hand protection** : >8 hours (breakthrough time): For prolonged or repeated handling, use the following type of gloves: nitrile rubber, neoprene or natural rubber (latex) (EN 374-1).
- Eye protection** : Recommended: safety glasses with side-shields (EN 166) .
- Skin protection** : Recommended: overall .
- Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

### Environmental exposure controls

Do not allow to enter drains or watercourses.

## 9. Physical and chemical properties

- Physical state** : Liquid.
- Color** : Depending on productnumber
- Boiling point** : 100°C (212°F)
- Volatility %** : 68.8% (v/v), 54 to 58% (w/w)
- VOC content w/w** : 35 (g/l).
- Solubility** : Partially soluble in the following materials: cold water and hot water.  
 Very slightly soluble in the following materials: methanol and n-octanol.  
 Insoluble in the following materials: diethyl ether and acetone.
- Relative density** : 1.26
- Viscosity** : Dynamic: 950 mPa·s (950 cP)
- pH** : 9

## 10. Stability and reactivity

Stable under recommended storage and handling conditions (see section 7).

Hazardous decomposition products: carbon monoxide, carbon dioxide, smoke, oxides of nitrogen.

Keep away from the following materials to prevent strong exothermic reactions: oxidizing agents, strong alkalis, strong acids.

## 11. Toxicological information

There is no data available on the preparation itself. The preparation has been assessed following the conventional method of the Dangerous Preparations Directive 1999/45/EC and classified for toxicological hazards accordingly. See sections 2 and 15 for details.

If splashed in the eyes, the liquid may cause irritation and reversible damage.

Contains Pentamethyl-piperidinyI ester derivative. May produce an allergic reaction.

## 12. Ecological information

There is no data available on the preparation itself.  
Do not allow to enter drains or watercourses.

The preparation has been assessed following the conventional method of the Dangerous Preparations Directive 1999/45/EC and is not classified as dangerous for the environment.

**AOX** : The product contains organically bound halogens and can contribute to the AOX value in waste water.

## 13. Disposal considerations

Do not allow to enter drains or watercourses.  
Dispose of according to all federal, state and local applicable regulations.

**European waste catalogue (EWC)** : The European Waste Catalogue classification of this product, when disposed of as waste, is: 08 01 15\* aqueous sludges containing paint or varnish containing organic solvents or other dangerous substances. If this product is mixed with other wastes, this code may no longer apply. If mixed with other wastes, the appropriate code should be assigned. For further information, contact your local waste authority.

**Hazardous waste** : Yes.

## 14. Transport information

**Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

### International transport regulations

Regulatory information	UN number	Proper shipping name	Classes	PG*	Label	Additional information
ADR/RID Class	--	-	-	-		-
IMDG Class	--	-	-	-		-
IATA Class	--	-	-	-		-

PG\* : Packing group

This product is not regulated for carriage according to ADR/RID, IMDG, ICAO/IATA.

## 15. Regulatory information

**EU regulations** : The product is determined as not being dangerous according to the requirements of the DPD.

**Risk phrases** : This product is not classified according to EU legislation.

**Safety phrases** : S23- Do not breathe vapor or spray.  
S51- Use only in well-ventilated areas.

**Europe inventory** : **Europe inventory:** At least one component is not listed.

### Other EU regulations

**Additional warning phrases** : Contains Pentamethyl-piperidinyI ester derivative. May produce an allergic reaction.

**CN code** : 3209 10 00

### National regulations

## 15. Regulatory information

**Industrial use** : The information contained in this safety data sheet does not constitute the user's own assessment of workplace risks, as required by other health and safety legislation. The provisions of the national health and safety at work regulations apply to the use of this product at work.

## 16. Other information

**CEPE Classification** : 2

The information in this Safety Data Sheet is required pursuant to EU Directive 91/155/EEC and its amendments.

### Notice to reader

*The information in this SDS is based on the present state of our knowledge and on current laws. The product is not to be used for purposes other than those specified under section 1 without first obtaining written handling instructions. It is always the responsibility of the user to take all necessary steps to fulfill the demands set out in the local rules and legislation. The information in this SDS is meant to be a description of the safety requirements for our product. It is not to be considered a guarantee of the product's properties. ©Copyright by Rust-Oleum Netherlands B.V. / Martin Mathys B.V.*



<b>Version</b>	1.01	v.3.4.	Page: 4/4
<b>Date of issue</b>	6-4-2007.		Printed 9-7-2007.



Rustoleum Aerosols, Carver Building, Littles Lane, Wolverhampton WV1 1JY  
 Tel: 01902 712286 Email: [sales@rustoleumaerosols.co.uk](mailto:sales@rustoleumaerosols.co.uk)  
 Fax: 01902 426574 Web: [www.rustoleumaerosols.co.uk](http://www.rustoleumaerosols.co.uk)